


PC BOARD LAYOUT
 RECOMMENDED PC BOARD THICKNESS 1.57[.062]

- 1 HOUSING MATERIAL: HIGH TEMPERATURE, GLASS-FILLED, POLYMER. COLOR: GRAY OR WHITE
- 2 POST MATERIAL: BRASS.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.
- 4 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 5 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 6 MARKING ON THIS SIDE.
- 7 CSA LOGO MOLDED IN THIS AREA.
- 8 HIGH TEMPERATURE DESIGNATION MOLDED IN THIS AREA.
- 9 POST FINISH: DIN 41612 CLASS 3 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.



SUPERSEDED BY 536416-5	1-32	X	X	X	96	536416-9
	1-32	X	X	X	96	536416-5
NOTES	POSITIONS LOADED	C	B	A	NO. OF LOADED POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN	L. BRINER	8/11/92	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: mm [INCHES]		CHK	R. PATTERSON	8/14/92	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP'D	D.C. RUBENDALL	8/14/92	NAME
0. PLC	± -	PRODUCT SPEC		PIN ASSEMBLY, EUROCARD, TYPE C WITH BOARD-LOCKS	
1. PLC	± -	APPLICATION SPEC		SIZE	CAGE CODE
2. PLC	± -	FINISH		WEIGHT	DRAWING NO.
3. PLC	± 0.13[.005]	MATERIAL		A1	00779
4. PLC	± -	POST:		SCALE	5:1
ANGLES	± -	CUSTOMER DRAWING		SHEET	1 of 1